

CROP EXCELLENCE.

STRESS MASTER

POTASSIUM PHOSPHITE FERTILIZER

5-0-5

WITH UPTAKE ENHANCEMENT TECHNOLOGY

GUARANTEED ANALYSIS:

Nitrogen (N)	5.0%
2.5% Urea Nitrogen 2.5% Ammonia Nitrogen	
Soluble Potash (K ₂ O)	5.0%
Boron (B)	0.10%
Sulfur (S)	2.5%
Manganese (Mn)	2.0%
2% from Manganese Phosphite	
Molybdenum (Mo)	0.10%
Zinc (Zn)	4.0%
4% from Zinc Phosphite	
Inert Ingredients	79.78%
TOTAL	100%



DANGER
KEEP OUT OF REACH
OF CHILDREN

Non Plant food Ingredients: Complex carbohydrate
Contains no readily available phosphate
Derived From: Urea, ammonium sulfate, Boric Acid, ammonium molybdate,
Reacted Manganese Potassium Phosphite, Reacted Zinc Potassium Phosphite

GENERAL INFORMATION

STRESS MASTER potassium phosphite fertilizer stimulates plant health by helping to increase plant health during periods of stress.

PRECAUTIONARY STATEMENTS

STRESS MASTER with uptake Enhancement Technology (UTE) is a highly concentrated material. If applying in combination with other materials, a compatibility test is recommended to avoid potential incompatibilities. Some complex concentrated tank mixes could show phytotoxicity when applied in very low water volumes during periods of high heat and humidity. STRESS MASTER remains in the liquid phase on leaf surfaces for a prolonged period of time and demonstrates pronounced spray adjuvant properties. Eye protection, long sleeve shirt, pants, gloves should be worn during mixing and handling. Avoid freezing if possible.

DIRECTIONS FOR USE

Spray apply STRESS MASTER with good coverage to point of runoff. Can also be applied through irrigation systems or as soil drench or soil injection in the fall or during periods of stress. Soil injection 1.5 gal. - 3 gal. solution per DBH inch in grid pattern.

USE RATES

Fruit, Nut and Vine Crops: Including but not limited to Apple, Citrus, Pear, Peach, Grapes, **Row Crops:** Including but not limited to Corn, Cotton, Peanuts, Soybeans, Small Grain, Tobacco, Potatoes, Sweet Potatoes, **Vegetables:** Including but not limited to Cucurbits, Tomatoes, Peppers, Cabbage, Cauliflower, Broccoli, Onion: 1-6 Pints per acre during periods of active growth or stress apply every 7 to 14 days. **TurfGrass:** 4-8 oz per 1,000 square feet and repeat every 7-14 days. **Ornamental Plants and Trees:** 12-24 oz per 100 gallons of water or 1/8 to 1/4 oz per gallon of water. Apply 1-2 pints per square foot at 2-3-week intervals.

STORAGE AND DISPOSAL

Storage: Store locked up. Store in a cool well ventilated area. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage store between 40° and 90° F.

Disposal: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations.

FIRST AID

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person. Call a poison center or doctor to specify the appropriate source of emergency medical advice if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present then continue rinsing. If eye irritation persists, seek medical advice or attention.

IF ON SKIN: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water for several minutes. Call a poison center or doctor to specify the appropriate source of emergency medical advice. If skin irritation occurs: Seek medical advice or attention.

IF INHALED: Remove victim

to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible. **FOR CHEMICAL EMERGENCY: Call the POISON CONTROL CENTER at 800-222-1222**

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

The manufacturer or seller makes no other expressed or implied warranty of fitness or merchantability of any other expressed or implied warranty. In no case shall the seller be liable for consequential, special, or indirect damage resulting from the use or handling of this product. The Manufacturer and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of the manufacturer.

MANUFACTURED FOR:

NET CONTENTS: ___ 2.5 gallon
 ___ 2 x 2.5 gallon
 ___ 250 gallon tote

NET WEIGHT:
10.9 lb / gallon @ 68° F

Carolina Eastern, Inc.
347 McAllister Mill Road
Scranton, SC 29591
843-389-2761
CROPEXCELLENCE.COM

